

Performance

Evap(°F)/Cond(°F)	45 / 130	45 / 100
RG(°F)/SubCool(°F)	65 / 15	65 / 15
Capacity (Btu/hr)	31700	38300
Power (Watts):	2960	1940
Current (Amps):	5.40	4.10
EER (Btu/Wh):	10.70	19.80
Mass Flow (lbs/hr):	461	475
Sound Power (dBA):	68 Avg	73 Max
Vibration (mils(peak-))	2.0 Avg	3.0 Max
Record Date:	2005-04-15	

Mechanical

Number of Cylinders:	0	Displ(in ³ /Rev):	3.31
Bore Size(in):	0.00	Displ(ft ³ /hr):	333.20
Stroke(in):	0.00		
Overall Length (in):	9.69	Mounting Length (in):	7.50
Overall Width (in):	9.69	Mounting Width (in):	7.50
Overall Height (in):	15.73	Mounting Height (in):	15.97 *
Suction Size (in):	3/4 Stub		
Discharge Size (in):	1/2 Stub		
Oil Recharge (oz):	38		
Initial Oil Charge (oz):	42		
Net Weight (lbs):	62		
Internal Free Volume (in ³):	191.0		
Horse Power:			
*Overall compressor height on Copeland Brand Product's specified mounting grommets.			