

Performance

<u>Evap(°F)/Cond(°F)</u>	<u>45 / 130</u>	<u>45 / 100</u>
<u>RG(°F)/Liq(°F)</u>	<u>65 / 115</u>	<u>65 / 85</u>
Capacity (Btu/hr)	62000	74000
Power (Watts):	5350	3690
Current (Amps):	7.80	5.90
EER (Btu/Wh):	11.60	20.00
Mass Flow (lbs/hr):	910	955
Sound Power (dBA):	74 Avg	79 Max
Vibration (mils(peak-))	2.0 Avg	3.0 Max
Record Date:	2014-03-06	

Mechanical

Number of Cylinders:	0	Displ(in ³ /Rev):	5.04
Bore Size(in):	0.00	Displ(ft ³ /hr):	612.50
Stroke(in):	0.00		
Overall Length (in):	9.69	Mounting Length (in):	7.50
Overall Width (in):	9.69	Mounting Width (in):	7.50
Overall Height (in):	17.24	Mounting Height (in):	17.99 *
Suction Size (in):	7/8 Stub		
Discharge Size (in):	1/2 Stub		
Oil Recharge (oz):	62		
Initial Oil Charge (oz):	66		
Net Weight (lbs):	84		
Internal Free Volume (in ³):	257.0		
Horse Power:	5		
*Overall compressor height on Copeland Brand Product's specified mounting grommets.			